













GET THE

PLUS + ADVANTAGE





SPEED

FLATNESS

FLEXIBILITY

TESTIMONIALS

"I love the flexibility of the new Qual-Pex Plus+ Easy-Lay Pipe. The Lack of spring makes it easier to handle and makes the install a lot quicker. I have used all kinds of plumbing pipe but the Qual-Pex Plus+ Easy-Lay is by far the easiest to work with"

- Patrick McHale JOHN MCHALE BUILDING SERVICES

"We have nothing against the old ways, but faster is faster, and better is better. When we started using the new Qual-Pex Plus+ Easy-Lay Pipe we soon realised it would solve a lot of the problems we have been having and make it easier for us to do our job. The New Qual-Pex Plus+ Easy-Lay Pipe will certainly help make a tradesmen's day go easier."

HYNES PLUMBING & HEATING





Old Qual-Pex

SPEED

FLATNESS

 $\star\star$

FLEXIBILITY

 $\star\star\star$





5 REASONS

to use our new Qual-Pex Plus+ Easy-Lay Pipe

ULTRA FLEXIBLE

Our new Qual-Pex Plus+
Easy-Lay Pipe is noticeably
more flexible than other pipes.
It's quick and easy to uncoil and
the flexible material allows you
to manoeuvre the pipe with
complete ease. Increased
flexibility delivers added value.
Now easier and quicker to
install using less materials and
less labour. You save every time.
Get the edge over your
competition!

Our new
Qual-Pex Plus+Easy-Lay
Pipe is more than meets
the eye. It's been specially
designed for the installer.
It's amazingly flexible,
incredibly efficient &
versatile system.

MANUFACTURED IN IRELAND

Qual-Pex Plus+ Easy-Lay is 100% Irish made and is manufactured to the most stringent standards allowing you to install with confidence. Plus with every purchase of Qual-Pex Plus+ Easy-Lay Pipe you're supporting Irish Jobs!

QUALITY CHOICE



You choose a quality product manufactured by a trusted leader of Plumbing & Heating Pipe in Ireland with almost 50 years' experience. Your next phase of plumbing success starts here!

VERSATILE

Qual-Pex Plus+ Easy-Lay Pipe is designed to complement our existing ranges of Qual-PEX Easy-Crimp and



Tectite fittings. The pipe is also recommended for use with standard brass compression fittings, and manifolds, as well as with some specific press and push-fit fittings. Available in Tan lengths and coils, in imperial sizes of ½" (14.7mm), ¾" (21.0mm), and 1" (27.4mm), and white multilayer sizes of 16mm, 20mm, 26mm & 32mm. 'Qual-PEX Plus+ Easy-Lay' will be provided in 'Pipe-in-Pipe' 'Eco-Pex' & Eco-DUO' formats.

PROVEN & GUARANTEED

With our market leading 50 Year
Guarantee offering you more
certainty to install
with confidence.

Qual-Pex Plus+ 'Easy-Lay'









- Qual-PEX Plus+ "Easy-Lay" is the next generation plumbing & heating pipe, for hot and cold water distribution services, as well as for central heating and underfloor heating systems.
- Qual-PEX Plus+ "Easy-Lay" is extremely flexible, with exceptional lay-flat capability, enabling faster, easier and more cost-effective installations.
- Qual-PEX Plus+ 'Easy-Lay' is approved for use under the following service conditions:
 - 12 Bar at 20°C
 - 4 Bar at 82°C
 - 3 Bar at 92°C

Qual-PEX Plus+ "Easy-Lay" is designed to complement, with full compatibility, fitting ranges as follows:

Qual-PEX Crimp Fittings
Tectite Fittings
Suitably approved 'Push-Fit fittings'
Suitably approved 'Compression fittings'
Suitably approved 'Press Fittings'

 Qual-PEX Plus+ "Easy-Lay" is available in the following sizes in both lengths & coils.
 Irish Sizes:- 1/2" (14.7mm), 3/4" (21.0mm) and 1" (27.4mm)



- Qual-PEX Plus+ "Easy-Lay" can be purchased pre-insulated (Qual-PEX Eco) and in corrugated ducting (Pipe-in-Pipe)
- Is 100% Irish Made and is manufactured to the most stringent standards allowing you to install with confidence
- 50 Year Guarantee





Qual-Pex Plus+ "Easy-Lay" Pipe					
Code	Coils	Qty			
3096700000	1/2" x 100m	1			
3096700020	3/4" x 50m	1			
3096700040	1" x 50m	1			
	Lengths				
3096700010	1/2" x 6m	20			
3096700030	3/4" x 6m	20			
3096700050	1" x 6m	10			

Qual-Pex Plus+ 'Easy-Lay' Multilayer Pipe









- Qual-PEX Plus+ "Easy-Lay" Multilayer Pipe is the next generation plumbing & heating pipe, for hot and cold water distribution services, as well as for central heating and underfloor heating systems.
- Qual-PEX Plus+ "Easy-Lay" Multilayer Pipe is extremely flexible, with exceptional lay-flat capability, enabling faster, easier and more cost-effective installations. This pipe has been designed to provide the plumbing professional with a 'universal alternative' to the various other piping products on the market, and it will prove to be a more effective plumbing solution, for many applications where aluminium pipe might otherwise be considered.
- Qual-PEX Plus+ 'Easy-Lay' is approved for use under the following service conditions:
 - 12 Bar at 20°C
 - 4 Bar at 82°C
 - 3 Bar at 92°C
- Qual-PEX Plus+ "Easy-Lay" Multilayer Pipe is designed to complement with full compatibility Suitably approved 'Press Fittings'.
- Qual-PEX Plus+ "Easy-Lay" Multilayer Pipe is available in the following sizes in both lengths & coils - 16mm, 20mm, 26mm & 32mm.
- Qual-PEX Plus+ "Easy-Lay" Multilayer can also be purchased pre-insulated - Qual-PEX Plus+ 'Easy-Lay' Eco.
- Is 100% Irish Made and is manufactured to the most stringent standards allowing you to install with confidence.
- 50 Year Guarantee.

"The new Qual-Pex Plus+ 'Easy-Lay' Multilayer Pipe has exceeded our expectations. It is extremely flexible, with exceptional lay-flat capability, enabling faster, easier and more cost-effective installations. My crew have installed all kinds of underfloor heating pipe, but the new Qual-Pex Plus+ 'Easy-Lay' Multilayer Pipe is by far the easiest we have worked with. That's why we put our trust in Pipelife."

- James Murphy, BroMur Energy Ltd





Qual-Pex Plus+ "Easy-Lay" Multilayer Pipe				
Code	Coils	Qty		
3096700500	16mm x 2mm x 100m	1		
3096700510	16mm x 2mm x 150m	1		
3096700520	16mm x 2mm x 500m	1		
3096700540	20mm x 2mm x 100m	1		
3096700560	26mm x 3mm x 50m	1		
3096700580	32mm x 3mm x 25m	1		
	Lengths			
3096700530	16mm x 2mm x 6m	20		
3096700550	20mm x 2mm x 6m	20		
3096700570	26mm x 3mm x 6m	10		
3096700590	32mm x 3mm x 6m	10		

Qual-Pex Plus+ 'Easy-Lay' Pipe in Pipe




- Our Pipe in Pipe range comes pre-installed with conduit.
- Simply uncoil, cut and install No messy installation of the pipe in the conduit.
- Saves you time, money and an environment where the chance of leaks are all but eliminated.









Pre-Insulated Qual-PEX Plus+ 'Easy-Lay' Pipe



Qual-Pex Plus+ "Easy-Lay" Eco				
Code	Coils	Qty		
3095100550	1/2" x 50m - BLUE	1		
3095100555	1/2" x 50m - RED	1		
3095100560	3/4" x 50m - BLUE	1		
3095100565	3/4" x 50m - RED	1		
3095100570	1"x 50m - BLUE	1		
3095100575	1" x 50m - RED	1		

Qual-Pex Plus+ 'Easy-Lay' Eco Multilayer				
Code	Coils	Qty		
3095100583	16mm x 2mm x 100m Blue	1		
3095100584	16mm x 2mm x 100m Red	1		
3095100585	20mm x 2mm x 50m Blue	1		
3095100586	20mm x 2mm x 50m Red	1		
3095100587	26mm x 3mm x 50m Blue	1		
3095100588	26mm x 3mm x 50m Red	1		
3095100589	32mm x 3mm x 25m White	1		

A pre-insulated Pipe to save time, money and energy costs for Domestic, Commercial and Industrial applications.

- Available in imperial sizes of 1/2", 3/4" & 1" in 50m Coils which are approved for use with Qual-Crimp, Tectite and compression fittings.
- Also available in multilayer sizes of 16mm, 20mm, 26mm & 32mm & are approved for use with suitably approved Press-Fittings.
- Manufactured in Ireland.
- 50 Year guarantee.
- Available through all leading merchants.

Product Description:

It is insulated with a high quality CFC-free and HCFC-free, blue or red flexible closed cell polyethylene pipe insulation. It has been designed to save time, money and energy costs and will improve the energy rating (BER) of any building.

The Insulation:

Tubolit is high quality insulation with a low thermal conductivity. It is highly efficient in energy conservation and frost protection. It is non fibrous and creates no dust during installation or use. It has a durable PE-film covering allowing maximum protection against water penetration and maximum bonding with concrete. It is also designed to give mechanical protection for in-wall cavity pipelines, which includes resistance to building materials and has a pleasing coating for exposed areas.









Qual-Pex Plus+ 'Easy-Lay' Eco Duo



Qual-PEX Plus+ 'Easy-Lay' ECO Duo Pipe has been designed to simplify and speed up installation by utilising standard Irish size fittings and pipe and to greatly enhance energy conservation, thus reducing energy costs.

PRE-Insulated and Ducted Qual-PEX Plus+ 'Easy-Lay' for Local & District Heating

- Irish size pipe eliminates the need for expensive adaptors.
- Use with standard compression fittings & Qual-PEX inserts.
- Manufactured in IRELAND.
- 50 year guarantee.
- Available in coils of 100m.
- Coils can be cut to order.
- Range of end caps & junction covers available.
- Available in all leading Merchants.

Applications:

- Air/Water Heat Pumps.
- Geothermal Heat Pumps.
- Wood Pellet Boilers.
- Biomass & Biogas Boilers.
- External Gas and Oil Boilers & many more.





Product Description:

Two pre-insulated, Qual-PEX Plus+ 'Easy-Lay'
Pipes encapsulated in 125mm of high performance
insulation protected within a corrugated PE-HD twin
wall outer casing for maximum protection. Delivering
industry leading thermal insulation properties using
lreland's leading plumbing and heating pipe.

The Insulation:

The insulation of Qual-PEX Plus+ 'Easy-Lay' ECO Duo Pipe consists of micro-cellular cross-linked polyethylene foam with a closed cellular structure, permitting low water vapour diffusion with good insulation resistance to extreme temperatures. Moreover, Qual-PEX Plus+ 'Easy-Lay' ECO Duo Pipe maintains these high insulation properties over time. This is due to the superior characteristics of the cross linked PE foam, compared to other insulation materials (e.g. PUR foam) which show a decline in their insulation capabilities over time. Its unique moving layers design allows maximum flexibility and very easy installation.



GETTHE PLUS + FITTING ADVANTAGE

Our new Qual-Pex Plus+ 'Easy-Lay' Multilayer Pipe is a universal pipe that can be used with any suitably approved/certified press fitting*









